## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

- 1-17. (Canceled)
- 18. (Currently Amended) A method for stimulating and/or expanding T-cells, comprising contacting T-cells *in vitro* with at least an immunogenic fragment of the polypeptide consisting of SEQ ID NO: 525, wherein said immunogenic fragment is selected from the group consisting of:
  - (a) amino acid residues 110-124 of SEQ ID NO: 525;
  - (b) amino acid residues 125-139 of SEQ ID NO: 525;
  - (c) amino acid residues 135-149 of SEQ ID NO: 525;
  - (d) amino acid residues 155-170 of SEQ ID NO: 525; and
  - (e) amino acid residues 160-174 of SEQ ID NO: 525;

under conditions and for a time sufficient to permit the stimulation and/or expansion of T-cells specific for SEQ ID NO: 525.

- 19. (Canceled)
- 20. (New) A method for stimulating and/or expanding T-cells, comprising contacting T-cells *in vitro* with at least an immunogenic fragment of the polypeptide consisting of SEQ ID NO: 525, wherein said immunogenic fragment is amino acid residues 125-139 of SEQ ID NO: 525; under conditions and for a time sufficient to permit the stimulation and/or expansion of T-cells specific for SEQ ID NO: 525.
- 21. (New) A method for stimulating and/or expanding T-cells, comprising contacting T-cells *in vitro* with at least an immunogenic fragment of the polypeptide consisting

of SEQ ID NO: 525, wherein said immunogenic fragment is amino acid residues 135-149 of SEQ ID NO: 525; under conditions and for a time sufficient to permit the stimulation and/or expansion of T-cells specific for SEQ ID NO: 525.

- 22. (New) A method for stimulating and/or expanding T-cells, comprising contacting T-cells *in vitro* with at least an immunogenic fragment of the polypeptide consisting of SEQ ID NO: 525, wherein said immunogenic fragment is amino acid residues 155-170 of SEQ ID NO: 525; under conditions and for a time sufficient to permit the stimulation and/or expansion of T-cells specific for SEQ ID NO: 525.
- 23. (New) A method for stimulating and/or expanding T-cells, comprising contacting T-cells *in vitro* with at least an immunogenic fragment of the polypeptide consisting of SEQ ID NO: 525, wherein said immunogenic fragment is amino acid residues 160-174 of SEQ ID NO: 525; under conditions and for a time sufficient to permit the stimulation and/or expansion of T-cells specific for SEQ ID NO: 525.